ACME VISIBLE RECORDS, INC.
83 S. HIGH STREET
COLUMBUS 15, OHIO CApital 1-1594

Veri-Visible

—•—

Super-Visible

—•—

Open Frame

ACME VISIBLE

ACME VERI-VISIBLE

FOR MACHINE POSTED RECORDS



There has been a long recognized need for equipment that would provide VISUALIZED CONTROL and faster handling of Machine Posted records. Acme Veri-Visible represents a new and advanced type of visible record equipment for this purpose.

With the indexing titles of all cards plainly exposed on the diagonal margins, any card can be instantly located, removed, machine posted and replaced. The "card out" signal speeds up refiling—clearly indicating where the card belongs.

Movable and/or permanent signals are effectively used on the three visible margins (horizontal, diagonal, vertical) to indicate past due accounts, items to be repurchased, or other important facts.

Acme Veri-Visible equipment will accommodate cards used in any make of bookkeeping machine.

CHANGE OF ADDRESS 910 Foster St. Evanston, Ill.
CHANGE OF ADDRESS
SUB. ADDRESS 155 E. Erie St. SUB. PHONE Sup. 1230
TERMS open account REG. PHONE Gra. 0778
CREDIT RATING C-2 ($700 limit)

DATE	DESCRIPTION	CHARGE	CREDIT	BALANCE
		BROUGHT FORWARD		148 43
FEB 24 45	39487	45 68		
FEB 24 45	39488	1 32		
FEB 24 45	34234A	235 69		
FEB 24 45	34235A	1 57		
FEB 24 45	34236A	14 69		447 38
FEB 25 45	C&H		41 27	406 11
FEB 27 45	28452	26 78		
FEB 27 45	27899	195 75		628 64
FEB 27 45	C/M		47 00	581 64

Julian, Miss Dorothy, 722 Clark St., Evanston, Ill. — BALANCE
Judson, John F., 1515 Hinman Ave., Evanston, Ill. — BALANCE
Judd, Mrs. Clinton, 914 Grain St., Evanston, Ill. — BALANCE 198 75
Joslyn, W. R., 908 Dempster St., Evanston, Ill. — BALANCE 65 32 / 45 98 / 87 32 / 00 / 132 65 / 154 98 / 175 34
Jorres, Mrs. G. W., 1836 Lincoln St., Evanston, Ill. — BALANCE 875 32 / 00
Jorgesen, Howard S., 3251 Park Ave., Evanston, Ill. — BALANCE 67 92 / 234 00 / 298 75 / 67 92 / 85 75 / 123 45 / 67 92 / 9 65 / 87 / 69 32 / 67 92
Jordan, Harlan T., Jr., 931 Forest Ave., Evanston, Ill. — BALANCE 8 32 / 357 65 / 00 / 36 75 / 85 75 / 135 75 / 267 92 / 135 75 / 00 / 1 32CR / 00 / 456 79
Jones, Mrs. Ford, 2203 Ridge Ave., Evanston, Ill. — BALANCE 234 56 / 367 98 / 400 00 / 423 75 / 550 75 / 00
Johnson, Arthur D., 1624 Grain St., Evanston, Ill. — BALANCE 435 75 / 1 62CR / 357 90 / 3567 92 / 1 62CR
Johns E., 1803 Hartrey Ave., Evanston, Ill. — BALANCE 2 65 / 8 32 / 9 47 / 12 67 / 20 98 / 268 54 / 20 98 / 45 62 / 69 64 / 45 62 / 78 56 / 200 06 / 78 56 / 45 62 / 132 45 / 00
Jefferies, Mrs. S. J., 1245 Elmwood Ave., Evanston, Ill. — BALANCE 23 65 / 00 / 23 65 / 00 / 23 65 / 00 / 23 65
BALANCE 9 38 / 10 05 / 5 00CR / 23 75 / 8 23 / 1675 25 / 8 23 / 500CR

This illustrates a single bank of a machine posted Veri-Visible Accounts Receivable record. The "Balance" of every account is right in sight. Note how the overdue account—the one with the red signal—stands out. Every such past due account can be located with a glance across the tops of the cards in a cabinet.

ACME VERI-VISIBLE

FOR HAND POSTED RECORDS

Acme Veri-Visible Equipment is just as advantageously used for hand posted records. An operator may have, in sight and reach, thousands of vertically filed cards, all visibly indexed—instantly available for quick reference and fast posting.

All Veri-Visible units are the proper height for easy removal of cards to the Posting Table and quick replacement in the file—all with a minimum effort and few motions.

Signals may be used on visible margins to indicate important facts and changing conditions; they remain with the cards wherever taken.

Note the printed, automatic "CARD-OUT" signal, also the wide gap in the spacing thus instantly revealing that a card is out.



This is a bank of a Veri-Visible Purchase and Stock record system. Note how the two important factors, the "Balance Available" and "Balance on Hand" of each item, are automatically visible. The simple act of keeping up the record produces this fine result.

Acme VERI-VISIBLE



The Acme Veri-Visible Floor Model Cabinet is recommended where it is desired to provide a large number of *visibly* indexed vertically filed cards—all readily accessible and instantly available—in one place. Cabinets may be used singly, in pairs as shown on pages 2 and 3. grouped in a U-arrangement, or placed in straight line—as preferred for efficient operation.

The hinged front of the floor model cabinet swings forward, as shown in illustration at left. This gives a wide V-opening affording greater visibility and providing a correct working angle for the panels. Each unit is equipped with three full-width Divide-a-Files with extended hand holds making it easy and convenient for the operator to part the record in groups, thus, speeding up reference to any card in the file.

The smooth-working metal roller curtain engages the top of the swinging front, and locks, completely closing the unit. When open the roll-curtain cover slides all the way back, out of the way.

The attractive, modern grey wrinkle finish harmonizes with other equipment—adding a cheerful tone to the office.



TREMENDOUS VISIBLE RECORD CAPACITY

For example, over 8,000 record cards size 5x8" with overall visibility. In addition you can have almost 3,000 greater card capacity with the expansion compartment illustrated below.

Unit provides for cards from 6" to 12" in height and whatever width is needed. Large visible margins—from ½" to 2"—or more, if desired. Occupies only 2½' by 2¼' of floor space.

EXPANSION (OR TRANSFER) COMPARTMENT

(Optional Equipment) The expansion (or transfer) compartment is a well designed, substantially built unit in the lower part of the floor model cabinet, utilizing space that would otherwise be wasted. It is recommended for housing temporarily inactive records transferred from the main compartment, or to provide additional record capacity. This compartment operates on roller suspensions—its contents instantly available and readily accessible. Limited to cards not more than 9½" high. See price table on opposite page.



Floor Model Cabinets

Acme Veri-Visible Floor Model Cabinets are available for cards 6" to 12" high—and in any width desired. The steel bottom rails are spaced 1" apart for cards having .5" (½") visible margins (or multiples thereof) and 1.2" apart for cards with .6" visible margins (or multiples thereof).

JUNIOR FLOOR MODEL CABINET

The "Junior" illustrated at the right is the same in width and height as the floor model cabinet but is 8" less in depth (front to back). It holds approximately 50% as many record cards. The design and construction are substantially the same as the larger unit, the one principal difference being that the Junior floor model cabinet cannot be equipped with the expansion (or transfer) compartment.

FLOOR MODEL CABINETS—Complete with "A" Dividers*
Standard Finish: Grey Wrinkle

Cabinet No.	Card Height	No. of "A" Dividers	Rail Spacing	Zone 1	Zone 2	Zone 3
106 206	6″ 6″		1″ 1.2″			
107 207	7″ 7″	34	1″ 1.2″	$352.25	$361.00	$369.75
108 208	8″ 8″		1″ 1.2″			
109 209	9″ 9″	33	1″ 1.2″	361.75	370.75	379.75
110 210	10″ 10″	32	1″ 1.2″	358.00	367.00	376.00
111 211	11″ 11″	31	1″ 1.2″	359.75	368.75	377.75
112 212	12″ 12″	30	1″ 1.2″	361.75	370.75	379.75
Cabinet without Dividers				250.75	257.00	263.25
EXPANSION COMPARTMENT with 15 "A" Dividers 6″, 7″ or 8″ high				116.50	119.50	122.25
EXPANSION COMPARTMENT with 15 "A" Dividers 9″ or 9½″ high				120.75	123.75	126.75

JR. FLOOR MODEL CABINETS—Complete with "A" Dividers*
Standard Finish: Grey Wrinkle

Cabinet No.	Card Height	No. of "A" Dividers	Rail Spacing	Zone 1	Zone 2	Zone 3
106-Jr. 206-Jr.	6″ 6″		1″ 1.2″			
107-Jr. 207-Jr.	7″ 7″	18	1″ 1.2″	$275.25	$282.25	$289.00
108-Jr. 208-Jr.	8″ 8″		1″ 1.2″			
109-Jr. 209-Jr.	9″ 9″	16	1″ 1.2″	275.25	282.25	289.00
110-Jr. 210-Jr.	10″ 10″	16	1″ 1.2″	275.25	282.25	289.00
111-Jr. 211-Jr.	11″ 11″	14	1″ 1.2″	271.25	278.00	284.75
112-Jr. 212-Jr.	12″ 12″	14	1″ 1.2″	272.75	279.50	286.50
Cabinet without Dividers				221.00	226.50	232.00

Expansion Compartments not available with Jr. Floor Model Cabinets.

*Add for quantity of "B" or "C" dividers required





Comparative view of Floor Model Cabinet and Jr. Floor Model Cabinet. The height and width are the same for both; the Depth of the Jr. unit is 8" less.

ACME VERI-VISIBLE Sectional Units





These may be housed in Floor Model Cabinets for distribution to a number of clerks, each cabinet accommodating four units. They may also be used as independent record units—on a desk or stand. The swivel stabilizer, underneath the base, is turned cross-wise when unit is used on a desk or table.

FINISH: Neutral Grey.

DIMENSIONS

Width ..... 27¾"
Depth ..... 5⅛" (8" high cards or less)
4½" (9" high cards or more)
Height ..... 9½" (8" high cards or less)

For higher cards height is increased proportionately.

Item No.	Card Height	Rail Spacing	"A" Dividers	Zone 1	Zone 2	Zone 3
4106-T	6"	1"		$64.25	$65.75	$67.50
4206-T	6"	1.2"		64.25	65.75	67.50
4107-T	7"	1"	8	64.25	65.75	67.50
4207-T	7"	1.2"		64.25	65.75	67.50
4108-T	8"	1"		64.25	65.75	67.50
4208-T	8"	1.2"		64.25	65.75	67.50
4109-T	9"	1"	7	63.75	65.25	67.00
4209-T	9"	1.2"		63.75	65.25	67.00
4110-T	10"	1"	7	63.75	65.25	67.00
4210-T	10"	1.2"		63.75	65.25	67.00
4111-T	11"	1"	7	65.25	67.00	68.50
4211-T	11"	1.2"		65.25	67.00	68.50
4112-T	12"	1"	7	66.25	68.00	69.50
4212-T	12"	1.2"		66.25	68.00	69.50
Stand—to hold one or two sectional units				41.75	42.75	43.75

V-V Posting Table

The V-V Posting Table offers great convenience and added operating efficiency to any Veri-Visible record installation. It is used alongside a Floor Model cabinet, or a Sectional Unit on a stand; or it may be used between two units.

The round cornered black linoleum top (with 1" metal binding) provides an excellent working surface—non-glaring, non-slipping. The drawer has ample room for working tools and miscellaneous supplies.



Length Each Side 26", Height 28¼"

	Zone 1	Zone 2	Zone 3
Posting Table	$54.75	$56.00	$57.50

Acme VERI-VISIBLE Portable Trays

This compact, portable unit provides for visibly indexing and signalling either machine or hand posted cards filed vertically.

Trays are of steel construction and equipped with swing handles for lifting. They can be placed in any standard 19" deep safe when fire protection is desired.



ACME VERI-VISIBLE TRAY STAND

This tubular steel stand with solid top is designed to accommodate one or two Veri-Visible Portable Trays. The clamp device at each end securely fastens trays to the stand. Clamps are easily released for removal of trays. Stands are supplied with smooth rolling ball-bearing swivel casters, two equipped with locking brakes.

SIZE—18½" wide, 17" deep, 17½" high.



PORTABLE TRAYS

Complete with 15 Master Dividers

Finish—Neutral Gray

	Zone 1	Zone 2	Zone 3
No. V8-1 —for 8" high cards 1" rail spacing No. V8-1.2 —for 8" high cards 1.2" rail spacing No. V10-1 —for 10" high cards 1" rail spacing No. V10-1.2—for 10" high cards 1.2" rail spacing	$68.00	$69.75	$71.50
V-V Portable Tray Stand	33.25	34.00	35.00
Interdividers— (Specify card height and visibility)	.45	.45	.45

VERI-VISIBLE PORTABLE TRAY UNIT—TABLE OF CAPACITIES

Card Width	Visibility	Cards Per Bank	With 32-lb. (6 pt.) Stock: Number of Interdividers: Per Master Divider	With 32-lb. (6 pt.) Stock: Number of Interdividers: Total	With 32-lb. (6 pt.) Stock: Capacity	With 110-lb. Index Bristol: Number of Interdividers: Per Master Divider	With 110-lb. Index Bristol: Number of Interdividers: Total	With 110-lb. Index Bristol: Capacity
5.0"	.5	25	3	43	1450	2	29	1100
	.6	21	4	58	1533	3	43	1218
	1.0	13	7	100	1495	5	72	1131
	1.2	11	7	100	1265	5	72	957
5.5"	.5	24	3	43	1392	2	29	1056
	.6	20	3	43	1160	2	29	880
	1.0	12	6	86	1212	4	58	876
	1.2	10	7	100	1150	5	72	870
6.0"	.5	23	3	43	1334	2	29	1012
	.6	19	3	43	1102	2	29	836
	1.0	12	6	86	1212	4	58	876
	1.2	10	7	100	1150	5	72	870
6.5"	.5	22	2	29	968	2	29	968
	.6	18	3	43	1044	2	29	792
	1.0	11	5	72	957	4	58	803
	1.2	9	6	86	909	4	58	657
7.0"	.5	21	2	29	924	1	14	609
	.6	17	3	43	986	2	29	748
	1.0	11	5	72	957	4	58	803
	1.2	9	6	86	909	4	58	657
7.5"	.5	20	2	29	880	1	14	580
	.6	16	2	29	704	2	29	704
	1.0	10	4	58	730	3	43	580
	1.2	8	5	72	696	4	58	584
8.0"	.5	19	2	29	836	1	14	551
	.6	16	2	29	704	1	14	464
	1.0	10	4	58	730	3	43	580
	1.2	8	5	72	696	4	58	584
8.5"	.5	18	2	29	792	1	14	522
	.6	15	2	29	660	1	14	435
	1.0	9	4	58	657	3	43	522
	1.2	8	4	58	584	3	43	464
9.0"	.5	17	2	29	748	1	14	493
	.6	14	2	29	616	1	14	406
	1.0	9	4	58	657	3	43	522
	1.2	7	5	72	609	4	58	511
9.5"	.5	16	2	29	704	1	14	464
	.6	13	2	29	572	2	29	572
	1.0	8	4	58	584	3	43	464
	1.2	7	5	72	609	4	58	511
10.0"	.5	15	2	29	660	1	14	435
	.6	12	3	43	696	2	29	528
	1.0	8	5	72	696	4	58	584
	1.2	6	6	86	606	4	58	438
10.5"	.5	14	2	29	616	2	29	616
	.6	11	3	43	638	2	29	484
	1.0	7	5	72	609	4	58	511
	1.2	6	6	86	606	4	58	438

Acme VERI-VISIBLE Dividers

In a vertical visible card system, it is the *Divider* that is subjected to the greatest amount of handling and receives the most abuse. Acme Veri-Visible "A" and "B" Dividers will withstand the severe strain of the most active record.

Both "A" and "B" Dividers are made of aluminum with embossed channels for strength and rigidity.

The "A" type is the master Divider and must be used in every unit of equipment. Smooth working bullet catches at each end provide quiet, frictionless operation.

The "B" supplemental Dividers (used between "A" Dividers), are self reinforced with all corners rounded.

The number of "B" Dividers used between "A" Dividers is dependent upon the build-up (thickness) of each bank of cards. The amount of build-up is determined by three factors—(1) card width, (2) thickness of stock, and (3) width of visible margin. Complete capacity tables, showing the maximum number of "B" Dividers that can be used, are on Page 10.

Both "A" and "B" Dividers are supplied in a light neutral grey finish which gives adequate light reflection without glare to the operator.



With this unique snap-in feature, "A" Dividers are "snapped" into, and securely held in place—yet they may be removed with a slight pull. The bullet catches provide a pivot action, resulting in smooth operation and prevent creeping.



Both "A" and "B" Dividers are supplied with a sturdy transparent, dual vision index tab.

"A" DIVIDERS

Item No.	Card Height	Zone 1	Zone 2	Zone 3
6A	6″	$3.05	$3.15	$3.20
7A	7″	3.05	3.15	3.20
8A	8″	3.05	3.15	3.20
9A	9″	3.35	3.45	3.50
10A	10″	3.35	3.45	3.50
11A	11″	3.60	3.70	3.80
12A	12″	3.75	3.85	3.95

"B" DIVIDERS

Item No.	Card Height	Zone 1	Zone 2	Zone 3
6B	6″	$2.35	$2.40	$2.45
7B	7″	2.35	2.40	2.45
8B	8″	2.35	2.40	2.45
9B	9″	2.65	2.70	2.80
10B	10″	2.65	2.70	2.80
11B	11″	2.90	2.95	3.05
12B	12″	3.05	3.15	3.20

ADJUSTABLE INDEX TABS

(All zones)

1-499	50c each
500-999	45c each
1000 and over	42c each

"C" (Capacity) DIVIDERS

"C" DIVIDERS—Made of heavy Index Bristol with reinforced celluloid index tabs in staggered positions. The body height is the same as the height of the record cards with which they are used. They may be used in lieu of "B" Dividers; and being thinner they often increase the record capacity (see tables on Page 10).



PRICES—*All Heights*

(Specify Height Card and Tab Positions Desired)

"C" DIVIDERS (all heights, all zones) 45c EACH

Acme VERI-VISIBLE Printed Forms

VERI-VISIBLE cards are made to fit the record; it is not necessary to compromise or sacrifice to fit size limitations. Cards can be 6" to 12" in height (in 1" multiples) and *any width* required. As wide visible margins as needed may be provided.

Our library contains a great variety of VERI-VISIBLE forms for both Machine and Hand posted records. Samples will be sent upon request.

Services of the Acme System Department and the local Acme Representative are available to help you plan and design your record forms.

EXTRA OPERATIONS

ON this page are illustrated 6 standard styles of VERI-VISIBLE forms; special arrangements can be provided to meet exacting conditions. The following operations are not included in the printed card prices.

ROUND HOLE PUNCHING—for each hole—70c per 1000 cards.

DIE-CUTTING—4 diagonal slots to hold smaller size cards —$7.50 base charge plus $3.50 per 1000 cards.

FOLDED CARDS—add 75% to price of size to which form is folded; use "PRINTED ONE SIDE" table.

NO VERI-VISIBLE PUNCHING—deduct $1.30 per 1000 cards.

QUANTITIES OVER 100,000—apply for price.

V-V PUNCHING OF CUSTOMERS OWN CARDS: First thousand $7.50; additional $4.50 per M.

½" Punching (actual size)
Used on cards having ½" and 1½" visible margins

.6" Punching (actual size)
Used on cards having .6" and 1.8" visible margins

1" Punching (actual size)
Used on cards having 1" and 2" visible margins

1.2" Punching (actual size)
Used on cards having 1.2" visible margin



SINGLE CARD WITH ONE DIAGONAL CORNER: Used generally when cards are printed on one side only—or when both sides are printed differently; the front of the card is always face forward in the file.

CARDS WITH SIGNAL HOLES: Used to reveal the presence or absence of related record cards or data filed in conjunction with and behind the master card. The effectiveness of the signal hole is enhanced by the use of a contrasting color for the companion record form.





SINGLE CARD WITH TWO DIAGONAL CORNERS: Recommended always when cards are printed with the same form on both sides. When the first side is filled up, you simply turn the card in the file and continue the record. The cards, visibly indexed on both sides, are available for use by two people from opposite sides of the file.



CARDS WITH DIAGONAL SLOTS: This is a simple, effective way of holding supplementary or companion cards and slips or photographs which then become a part of the master record. The slots may be placed anywhere in the card and arranged for any size insert.



4-PAGE FOLDED CARD: Where the requirements call for considerable recording area, this arrangement is suggested. Cards may be folded at the top, at the bottom, or at either side.



SEPARATE RECORD CARDS FILED TOGETHER: Two or more different cards, or sheets, bearing on the same subject, may be filed together, one directly behind the other. There are many variations in card sizes, arrangements and colors which can be used advantageously. The particular arrangement illustrated is a combination of a "Position Record" and a "Service Record". The Position Record is indexed by title of job and remains in its respective place in the file at all times. The Service Record card, slightly narrower, is indexed by name of employee and is moved or transferred as the employee's job is changed. When there is no employee for a given job, the solid, diagonal "Vacant" block is visible.

ACME VERI-VISIBLE

CAPACITIES

USING 32# (6 POINT) LEDGER STOCK

Card Width	Visibility	Cards Per Bank	"B" Dividers Per "A"	WITH "A" AND "B" DIVIDERS									"C" Dividers Per "A"	WITH "A" AND "C" DIVIDERS								
				FLOOR MODEL CABINETS							Sectional Units			FLOOR MODEL CABINETS							Sectional Units	
				SENIOR				JUNIOR						SENIOR				JUNIOR				
				8" High	9" High	10" High	11" High	8" High	9" & 10" High	11" & 12" High	8" High	Other		8" High	9" High	10" High	11" High	8" High	9" & 10" High	11" & 12" High	8" High	Other
	.5"	41	3	5494	5330			2907			1271	1107	5	8282	8036			4383			1927	1681
	1.0"	21	4	3528	3423			1863			798	693	9	7035	6825			3726			1575	1365
5.0"	1.5"	14	4	2352	2282			1188			532	462	10	5152	4998			2727			1148	994
	2.0"	11	5	2222	2156			1179			506	440	10	4048	3927			2142			902	781
	.6"	34	3	4556	4420	4284		2412	2142		1054	918	5	6868	6664	6460		3636	3230		1598	1394
5.2"	1.2"	17	4	2856	2771	2686		1512	1343		646	561	9	5695	5525	5355		3015	2677		1275	1105
	1.8"	12	5	2424	2352	2280		1278	1140		552	480	10	4416	4284	4152		2331	2076		984	852
	.5"	39	2	3900	3783	3666	3549	2061	1833		897	780	4	6552	6357	6162	5967	3465	3081		1521	1326
6.0"	1.0"	20	4	3360	3260	3160	3060	1773	1580		760	660	8	6020	5840	5660	5480	3186	2830		1340	1160
	1.5"	13	4	2184	2119	2054	1989	1152	1027		494	429	10	4784	4641	4498	4355	2529	2249		1066	923
	2.0"	10	5	2020	1960	1900	1840	1071	950		460	400	10	3680	3570	3460	3350	1944	1730		820	710
	.6"	32	2	3200	3104	3008	2912	1692	1504	1315	736	640	4	5376	5216	5056	4896	2844	2528	2211	1248	1088
6.4"	1.2"	16	4	2688	2608	2528	2448	1413	1264	1106	608	528	8	4816	4672	4528	4384	2547	2264	1979	1072	928
	1.8"	11	4	1848	1793	1738	1683	972	869	760	418	363	10	4048	3927	3806	3685	2142	1903	1664	902	781
	.5"	37	2	3700	3589	3478	3367	1953	1739	1520	851	740	3	4958	4810	4662	4514	2619	2331	2038	1147	999
	.6"	31	2	3100	3007	2914	2821	1638	1457	1274	713	620	4	5208	5053	4898	4743	2754	2449	2142	1209	1054
	1.0"	19	3	2546	2470	2394	2318	1341	1192	1047	589	513	7	5092	4940	4788	4636	2696	2394	2092	1140	988
7.0"	1.2"	16	4	2688	2608	2528	2448	1422	1264	1106	608	528	8	4816	4672	4528	4384	2547	2264	1979	1072	928
	1.5"	13	4	2184	2119	2054	1989	1152	1027	898	494	429	9	4355	4225	4095	3965	2304	2047	1790	975	845
	1.8"	11	4	1848	1793	1738	1683	972	869	760	418	363	10	4048	3927	3806	3685	2142	1903	1664	902	781
	2.0"	10	4	1680	1630	1580	1530	891	790	691	380	330	10	3680	3570	3460	3350	1944	1730	1512	820	710
	.5"	35	2	3500	3395	3290	3185	1845	1645	1438	805	700	3	4690	4550	4410	4270	2484	2205	1932	1085	945
8.0"	1.0"	18	3	2412	2340	2268	2196	1278	1134	992	558	486	6	4248	4122	3996	3870	2241	1998	1748	990	864
	1.5"	12	4	2016	1956	1896	1836	1062	948	829	456	396	8	3612	3504	3396	3288	1908	1698	1484	804	696
	2.0"	9	4	1512	1467	1422	1377	801	711	622	342	297	10	3312	3213	3114	3015	1746	1557	1361	738	639
	.5"	33	1	2211	2145	2079	2013	1179	1040	909	495	429	2	3300	3201	3102	3003	1747	1556	1356	759	660
9.0"	1.0"	17	3	2278	2210	2142	2074	1212	1071	937	527	459	5	3434	3332	3230	3128	1818	1615	1413	799	697
	1.5"	11	4	1848	1793	1738	1683	972	869	760	418	363	8	3311	3212	3113	3014	1752	1555	1360	737	638
	2.0"	9	4	1512	1467	1422	1377	801	711	622	342	297	9	3015	2925	2835	2745	1593	1417	1239	675	585

USING 110# (8 POINT) INDEX STOCK

Card Width	Visibility	Cards Per Bank	"B" Dividers Per "A"	WITH "A" AND "B" DIVIDERS									"C" Dividers Per "A"	WITH "A" AND "C" DIVIDERS								
				FLOOR MODEL CABINETS							Sectional Units			FLOOR MODEL CABINETS							Sectional Units	
				SENIOR				JUNIOR						SENIOR				JUNIOR				
				8" High	9" High	10" High	11" High	8" High	9" & 10" High	11" & 12" High	8" High	Other		8" High	9" High	10" High	11" High	8" High	9" & 10" High	11" & 12" High	8" High	Other
	.5"	41	2	4100	3974			2169			943	820	3	5494	5330			2907			1271	1107
5.0"	1.0"	21	4	3528	3423			1863			798	693	7	5628	5460			2979			1260	1092
	1.5"	14	4	2352	2282			1242			532	462	8	4214	4088			2232			938	812
	2.0"	11	4	1848	1793			972			418	363	10	4048	3927			2142			902	781
	.6"	34	2	3400	3298	3196		1800	1598		782	680	4	5712	5542	5372		3024	2686		1326	1156
5.2"	1.2"	17	4	2856	2771	2686		1512	1343		646	561	7	4556	4420	4284		2412	2142		1020	884
	1.8"	12	4	2016	1956	1896		1062	948		456	396	10	4416	4284	4152		2331	2076		984	852
	.5"	39	2	3900	3783	3666	3549	2061	1833	1602	897	780	3	5226	5070	4914	4758	2769	2457		1209	1053
6.0"	1.0"	20	3	2680	2600	2520	2440	1413	1260	1190	620	540	6	4720	4580	4440	4300	2498	2220		1100	960
	1.5"	13	4	2184	2119	2054	1989	1152	1026	896	494	429	8	3913	3796	3679	3562	2070	1839		871	754
	2.0"	10	4	1680	1630	1580	1530	891	790	691	380	330	10	3680	3570	3460	3350	1948	1730		820	710
	.6"	32	2	3200	3104	3008	2912	1692	1504	1315	736	640	3	4288	4160	4032	3904	2270	2016	1763	992	864
6.4"	1.2"	16	3	2144	2080	2016	1952	1134	1008	881	496	432	6	3776	3664	3552	3440	1999	1776	1554	880	768
	1.8"	11	4	1848	1793	1738	1683	972	869	760	418	363	8	3311	3212	3113	3014	1752	1556	1360	737	638
	.5"	37	1	2479	2405	2331	2257	1305	1165	1019	555	481	2	3700	3583	3466	3349	1958	1733	1509	851	740
	.6"	31	2	3100	3007	2914	2821	1641	1457	1274	713	620	3	4154	4061	3968	3875	2199	1984	1765	961	837
	1.0"	19	3	2546	2470	2394	2318	1347	1197	1047	589	513	5	4484	4370	4256	4142	2373	2128	1880	893	779
7.0"	1.2"	16	3	2144	2080	2016	1952	1135	1008	882	496	432	6	3776	3664	3552	3440	1999	1776	1554	880	768
	1.5"	13	4	2184	2119	2054	1989	1152	1027	898	494	429	7	3484	3380	3276	3172	1844	1638	1432	780	676
	1.8"	11	4	1848	1793	1738	1683	972	869	760	418	363	8	3311	3212	3113	3014	1752	1556	1360	737	638
	2.0"	10	4	1680	1630	1580	1530	891	790	691	380	330	8	3010	2920	2830	2740	1593	1415	1237	670	580
	.5"	35	1	2345	2275	2205	2135	1242	1102	973	525	455	2	3500	3395	3290	3185	1852	1645	1438	805	700
8.0"	1.0"	18	3	2412	2340	2268	2196	1278	1134	992	558	486	4	3024	2934	2844	2754	1601	1422	1244	702	612
	1.5"	12	3	1608	1560	1512	1464	851	756	661	372	324	6	2832	2748	2664	2580	1499	1334	1165	660	576
	2.0"	9	4	1512	1467	1422	1377	801	711	622	342	297	8	2709	2628	2547	2466	1434	1273	1113	603	522
	.5"	33	1	2211	2145	2079	2013	1170	1039	909	495	429	1	2211	2145	2079	2013	1170	1040	909	495	429
9.0"	1.0"	17	2	1700	1649	1598	1547	900	799	698	391	340	4	2856	2771	2686	2601	1512	1343	1175	663	578
	1.5"	11	3	1474	1430	1386	1342	783	693	606	341	297	6	2596	2519	2442	2365	1374	1221	1068	605	528
	2.0"	9	4	1512	1467	1422	1377	801	711	622	342	297	7	2412	2340	2268	2196	1276	1134	992	540	468

Acme Systems Service Department

Saves time and inconvenience in changing over your present system . . . or when installing a new record system

- RECORDS TURNED OVER FOR USE
- NO OVERLOADING YOUR PRESENT STAFF
- NO HIRING OF TEMPORARY EMPLOYEES
- GREATER ACCURACY—LESS SPOILAGE
- DETAILED GUIDANCE NOT REQUIRED
- SAVINGS IN TIME AND LABOR COSTS
- RECORDS KEPT UP-TO-DATE DURING INSTALLATION

From years of experience in installing new records for almost every conceivable type of business, Acme has developed the know-how, the short-cuts, and the speedy way to make a change-over from an old record to a new, or to set up an entirely new record system. Acme has available a staff of experts ready to index and install records and to train personnel in the use of record systems. Using modern methods and the newest type of labor-saving equipment, Acme is able to render efficient service for indexing, collating, gathering, copying, hanging and Acmeloiding all types of visible records. This same service is also available for every other kind of record system. You may obtain estimates covering complete installation whereby Acme takes entire responsibility, or furnishes indexors on a per diem basis in charge of a competent supervisor.

This service relieves management of the necessity of planning, organizing and supervising the installation. It is faster than using regular personnel, spare time or overtime, as our operators are experienced in this field. Regular employees are not burdened with extra work and "business as usual" continues without interruption. Accuracy combined with neatness is assured, and the new record is installed promptly. When desirable, the entire work can be done at our factory, and delivered as a complete package, ready for use.

Proper indexing means faster finding, faster reference, faster posting, thereby saving valuable time. Complete control of new items, change of address, etc. is maintained throughout the assignment.

In addition to completing the clerical work, we prepare and furnish a manual of procedure and operation, which assures that the objectives and purposes of the record will be understood regardless of personnel changes, and continues as a guide to the correct maintenance of the system.

When we undertake a record installation, it is turned over *ready for use.*



PERMANENTLY ATTACHED HINGES FOR ACME CARDS GAIN TIME — REDUCE LABOR — SAVE MONEY

Up to now, the attachment of Acme Hinges has been a manual operation, and the time required to do this depended on the individual skill and speed of the operator. Acme has now developed and completed a mechanical means of *permanently* attaching these metal hinges to the record cards.

Cards, either blank or printed, can be supplied with the hinges permanently attached when delivered from our factory—or the record information can be completed first and then sent to the factory, for the attachment of hinges.

For very large installations, we can send the special machinery and a skilled operator to the customer's offices, so all the work can be handled and supervised on their premises.

Acme SUPER VISIBLE Card Systems...

The cards are indexed, easily and properly, on any typewriter.

Note the visible margin information is at the top of the record cards.

Visible Card Panels

Are available in two types—(1) for Posting records and (2) for Reference records. These visible card panels may be easily inserted at any point in the record system, thus providing expansion where needed. Card Carriers provide for easy insertion of single cards and rapid group shifting.

Card Sizes and Types

There is a complete range of card sizes and types from a 3¾ x 1" for purely reference or cross indexing purposes, up to an 8 x 6" for actively posted records.

Indexing

As simple as A, B, C, and easily expansible. Each guide with its large windowed tab clearly indexes 30 to 192 cards. Stock sets of alphabetic, numerical, or geographic inserts are available. Plain inserts, to be labeled individually to suit the requirements of a particular record, accompany all Card Carrier Units without extra charge.

MECHANIZED VERTICAL VISIBLE — MODERN — PRACTICAL — A NEW LOW IN COST —A NEW HIGH IN EFFICIENCY AND CAPACITY

This modern vertical visible record equipment is so fast—efficient, yet simple and practical—and so low in initial cost, space and operating cost that it is the logical vertical visible equipment for many card records.

Super-Visible finger-tip control gives you a new speed and convenience. References and entries are made so easily and quickly that this modern visible method actually invites USE and prompts timely ACTION.

Large window visible guide tabs instantly accessible in a natural line of vision—provide immediate selection of any visible card panel. There are from 30 to 192 record cards VISIBLE at a glance whenever the contents are parted as shown in illustration on opposite page. The entire visible margin of every card is always exposed; the Super-Visible principle assures positive alignment and registration of the typed and signalled information.

THE CARD CARRIER

This detachable Card Runway is of patented design, spring type steel. It is instantly removed or firmly locked on the Panel with a touch of thumb and forefinger. Because the Card Runway conforms to the natural angle taken by the die-cut card wings, the cards are easily attached and slide up and down with a minimum of friction.

The steel Card Elevator, pictured at the bottom of the Runway, serves three main functions. It protects the bottom of the cards, is easily removed from the Runway to permit group shifting or transferring of cards, and slides and locks in any one of four positions. When the Runway is only partially filled, the Elevator can be raised to the position which will hold the cards higher up on the Panel, reserving space at the bottom for expansion.



Give You These Advantages . . .

REFERENCE **SPEED IN . .** **POSTING**



- **A.** *Installation*
- **B.** *Reference*
- **C.** *Posting*
- **D.** *Shifting*
- **E.** *Expansion*
- **F.** *Transferring*

It is difficult, if not impossible, to predetermine the activity and growth of a record system and properly provide for expansion. However, the flexible features of Acme Super-Visible provide for unlimited growth and additions of new record cards *whenever* and *wherever* they are to be made.





Snap-on* SINGLE CARDS *at any point

and* REMOVE CARDS *equally as easy



GROUP SHIFTING . . .

With Acme Super-Visible you can shift entire card groups from filled or partially filled panels in less time than it takes to tell how to do it. This feature, combined with the ease and speed of inserting new panel units, at any point in the system, gives you a new economy in record keeping — it substantially cuts your clerical costs.

Certain card panels may fill up more rapidly than others. Group shifting is the easy way to equalize card groups and utilize unfilled space on adjoining panels.

Acme SUPER VISIBLE Card Carrier Units

VISIBLE CARD PANELS

Available in two types—(1) for Posting Records and (2) for Reference Records. Visible Card Panels may be inserted easily at any point in the record system, thus permitting expansion wherever it is required. The Card Carriers on the Panels provide for easy insertion of new cards and for rapid group shifting of cards.

POSTING TYPE UNIT

Illustrated here is the No. 2 VLR-316 Removable Posting Panel Unit consisting of the Separator Indexor, the Posting Panels with Card Carriers attached, to form a complete unit.



REFERENCE TYPE UNIT

For maximum economy in minimum space. The Reference Type Unit is recommended for records to which frequent reference is made but few or no postings are required.

It consists of 1, 2, or 3 Card Carriers directly attached to a Separator Indexor made from the same light, strong material used for posting panels—including a Metal Index tab and Roll-Bearing Anchor.

PRICES—POSTING TYPE PANELS

†Catalog Number	Housing Unit Size	PRICES Zone 1	Zone 2	Zone 3	Width of Card	Panels Per Unit	PANEL SIZE Width	Height	Runways Per Panel
1V5R-316	Doc't.	$1.60	$1.65	$1.70	5¾" 5⅞"	1	5 15/16"	11 13/16"	1
2V5R-316	Ledger	3.10	3.20	3.25	5¾" 5⅞"	2	5 15/16"	11 13/16"	1
1VTR-316	Tariff	1.80	1.85	1.90	8" 8⅜"	1	8½"	11 13/16"	1
2VTR-316	Tariff	2.40	2.45	2.50	3¾"	1	8½"	11 13/16"	2
2VLR-316	Letter	2.50	2.55	2.65	5¾" 5⅞"	2	5 15/16"	9⅝"	1
2VLR-316D (Duplex)	Letter	2.50	2.55	2.65	5¾" 5⅞"	1	11¾"	9⅝"	2
2VLTR-316	Ledger	3.25	3.35	3.40	5¾" 5⅞"	2	5 15/16"	11 13/16"	1
2VLTR-316D (Duplex)	Ledger	3.25	3.35	3.40	5¾" 5⅞"	1	11¾"	11 13/16"	2
3VLR-316	Letter	3.10	3.20	3.25	3¾"	1	11¾"	9⅝"	3
3VLTR-316	Ledger	3.90	4.00	4.10	3¾"	1	11¾"	11 13/16"	3
*4-1VLR-316	Letter	3.70	3.80	3.90	2⅞"	1	11¾"	9⅝"	4
*4-2VLR-316	Letter	3.70	3.80	3.90	2⅞"	2	5 15/16"	9⅝"	2
2VCR-316	Cap	2.70	2.75	2.85	7¼"	2	7⅜"	9⅝"	1
2VCTR-316	TD-2C	3.80	3.90	4.00	7¼"	2	7⅜"	11 13/16"	1
**2VCR-IBM-9	Special	2.60	2.65	2.75	7⅜"	1	15⅛"	9⅝"	2
**2VCR-IBM-11	Special	2.95	3.00	3.10	7⅜"	1	15⅛"	11 13/16"	2
3VCR-316	Cap	3.35	3.45	3.50	4¾"	1	14¾"	9⅝"	3
3VCTR-316	TD-2C	4.25	4.35	4.45	4¾"	1	14¾"	11 13/16"	3
*4-2VCR-316	Cap	3.90	4.00	4.10	3½"	2	7⅜"	9⅝"	2

QUANTITY PRICES FOR POSTING TYPE PANELS

Catalog Number	500-999 Zone 1	Zone 2	Zone 3	1000 AND OVER Zone 1	Zone 2	Zone 3
1V5R-316	$1.50	$1.55	$1.60	$1.45	$1.50	$1.50
2V5R-316	2.95	3.00	3.10	2.85	2.90	3.00
1VTR-316	1.70	1.75	1.80	1.65	1.70	1.75
2VTR-316	2.30	2.35	2.40	2.20	2.25	2.30
2VLR-316	2.40	2.45	2.50	2.30	2.35	2.40
2VLR-316D (Duplex)	2.40	2.45	2.50	2.30	2.35	2.40
2VLTR-316	3.10	3.20	3.25	2.95	3.00	3.10
2VLTR-316D (Duplex)	3.10	3.20	3.25	2.95	3.00	3.10
3VLR-316	2.90	2.95	3.05	2.70	2.75	2.85
3VLTR-316	3.75	3.85	3.95	3.45	3.55	3.60
*4-1VLR-316	3.40	3.50	3.55	3.25	3.35	3.40
*4-2VLR-316	3.40	3.50	3.55	3.25	3.35	3.40
2VCR-316	2.60	2.65	2.75	2.50	2.55	2.65
2VCTR-316	3.60	3.70	3.80	3.35	3.45	3.50
**2VCR-IBM-9	2.50	2.55	2.65	2.35	2.40	2.45
**2VCR-IBM-11	2.85	2.90	3.00	2.65	2.70	2.80
3VCR-316	3.15	3.25	3.30	3.05	3.15	3.20
3VCTR-316	4.05	4.15	4.25	3.85	3.95	4.05
*4-2VCR-316	3.75	3.85	3.95	3.45	3.55	3.60

NOTES

Price includes Removable Acmelite panels with detachable runways and one metal tabbed pressboard Roll-Bearing Separator-Indexor.

SEPARATOR-INDEXOR TABS—Primary Guides: No. 1V5R units, 2⅛" tabs in 3 positions; all No. VTR units, 2⅛" tabs in first 3 of 4 positions; all No. VLR and No. 2V5R units, 2⅛" tabs in 2nd, 3rd and 4th of 5 positions; all No. VCR units, 2⅞" tabs in 2nd, 3rd and 4th of 5 positions.

EXPANSION GUIDES have 1⅜" metal tabs in two positions at the right of the Primary Guides. When ordering, specify by adding "X1" or "X2" to the catalog number for corresponding Primary Units.

*Cards used in these units contain the special die-cuts

**These panels hold IBM punched cards, die-cut at the top, filed in a down-hung position (with the cards indexed at the bottom) directly on the run-ways. No Separator-Indexor guides are furnished. The panels have 2⅞" metal tabs in 3 positions; do not have roll-bearing spacers.

CAPACITIES: #2VCR-IBM-9 panels, 68 cards (34 per runway), #2VCR-IBM-11 panels, 90 cards (45 per runway).

†Explanation of Catalog Numbers: First numeral represents number of runways (rows of cards) per panel unit. "V" means vertical-visible. The number or letter following the "V" represents the width of the panel unit and determines the size of housing unit required; where the letter is followed by "T," the panel is Tariff (11 13/16") height. The letter "R" signifies the panel is "REMOVABLE," i.e., POSTING type. Suffix 316 shows the spacing (3/16") of the Roll-Bearing Anchor. Where an additional suffix "D" appears, the panel is of the Duplex type having two runways on the one panel.

PRICES—REFERENCE TYPE PANELS

*Catalog Number	Housing Unit Size	PRICES Zone 1	Zone 2	Zone 3	Width of Card	PANEL SIZE Width	Height	Runways Per Panel
1V5-316	Doc't.	$1.50	$1.55	$1.60	5¾" 5⅞"	5 15/16"	11 13/16"	1
1VT-316	Tariff	1.65	1.70	1.75	8" 8⅜"	8½"	11 13/16"	1
2VT-316	Tariff	2.25	2.30	2.35	3¾"	8½"	11 13/16"	2
2VL-316	Letter	2.35	2.40	2.45	5¾" 5⅞"	11⅞"	9⅝"	2
2VLT-316	Ledger	2.90	2.95	3.05	5¾" 5⅞"	11⅞"	11 13/16"	2
3VL-316	Letter	2.90	2.95	3.05	3¾"	11⅞"	9⅝"	3
3VLT-316	Ledger	3.45	3.55	3.60	3¾"	11⅞"	11 13/16"	3
4VL-316	Letter	3.40	3.50	3.55	2⅞"	11⅞"	9⅝"	4

QUANTITY PRICES FOR REFERENCE TYPE PANELS

*Catalog Number	500-999 Zone 1	Zone 2	Zone 3	1000 AND OVER Zone 1	Zone 2	Zone 3
1V5-316	$1.45	$1.50	$1.50	$1.40	$1.45	$1.45
1VT-316	1.60	1.65	1.70	1.50	1.55	1.60
2VT-316	2.15	2.20	2.25	2.10	2.15	2.20
2VL-316	2.25	2.30	2.35	2.15	2.20	2.25
2VLT-316	2.70	2.75	2.85	2.60	2.65	2.75
3VL-316	2.70	2.75	2.85	2.60	2.65	2.75
3VLT-316	3.35	3.45	3.50	3.15	3.25	3.30
4VL-316	3.25	3.35	3.40	3.10	3.20	3.25

*When used with cards 1" or 1 9/16" high the roll bearings will be 9/64" in diameter instead of 3/16". When ordering Reference Panels for these height cards use the suffix "964" instead of "316" after the Item No.

Price includes combination Roll-Bearing Metal Tabbed Card Panel with detachable card runways. Metal Tabs are arranged in two positions only and are 1¾" and 2⅛" wide, depending on the type of unit.

SUPER-VISIBLE CAPACITIES—3/16" VISIBILITY

20% of Capacity Should Be Allowed for Expansion in the Card Units and in the Housing
Weight of cards 110# except those marked (*) which are 140#

Card Size	Type Panel	Cards per Pane	TUB DESKS		CABINETS (per dwr.)		SENIOR TRAYS		JUNIOR TRAYS	
			Panels	Cards	Panels	Cards	Panels	Cards	Panels	Cards
	3VL-964	135			168	22,680	106	14,310	42	5,670
	3VLR-316	135			139	18,765	88	11,880	34	4,590
3¾x1"	3VLT-964	171	238	40,698					42	7,182
	3VLTR-316	171	196	33,516					34	5,814
	2VT-964	114	357	40,698					42	4,788
	2VTR-316	114	294	33,516					34	3,876
	3VL-964	126			141	17,766	90	11,340	35	4,410
	3VLR-316	126			120	15,120	76	9,576	30	3,780
3¾x1 1/16"	3VLT-964	162	200	32,400					35	5,670
	3VLTR-316	162	170	27,540					30	4,860
	2VT-964	108	300	32,400					35	3,780
	2VTR-316	108	255	27,540					30	3,240
	3VL-316	117			122	14,274	77	9,009	30	3,510
	3VLR-316	117			106	12,402	67	7,839	26	3,042
3¾x2 1/8"	3VLT-316	153	174	26,622					30	4,590
	3VLTR-316	153	150	22,950					26	3,978
	2VT-316	102	261	26,622					30	3,060
	2VTR-316	102	225	22,950					26	2,652
4¾x1"	3VCR-316	135			139	18,765	88	11,880	34	4,590
	3VCTR-316	171	196	33,516					34	5,814
4¾x1 1/16"	3VCR-316	126			120	15,120	76	9,576	30	3,780
	3VCTR-316	162	170	27,540					30	4,860
4¾x2 1/8"	3VCR-316	117			106	12,402	67	7,839	26	3,042
	3VCTR-316	153	150	22,950					26	3,978
4¾x3"	3VCR-316	102			90	9,180	58	5,916	22	2,244
	3VCTR-316	138	128	17,664					22	3,036
	2VL-964	90			168	15,120	106	9,540	42	3,780
	2VLR-316	90			139	12,510	88	7,920	34	3,060
5¾x1"	2VLT-964	114	238	27,132					42	4,788
	2VLTR-316	114	196	22,344					34	3,876
	1V5-964	57	476	27,132						
	1V5R-316	57	392	22,344						
	2VL-964	84			141	11,844	90	7,560	35	2,940
	2VLR-316	84			120	10,080	76	6,384	30	2,520
5¾x1 1/16"	2VLT-964	108	200	21,600					35	3,780
	2VLTR-316	108	170	18,360					30	3,240
	1V5-964	54	400	21,600						
	1V5R-316	54	340	18,360						
	2VL-316	78			122	9,516	77	6,006	30	2,340
	2VLR-316	78			106	8,268	67	5,226	26	2,028
5¾x2 1/8"	2VLT-316	102	174	17,748					30	3,060
	2VLTR-316	102	150	15,300					26	2,652
	1V5-316	51	348	17,748						
	1V5R-316	51	300	15,300						
	2VL-316	68			102	6,936	64	4 352	25	1,700
	2VLR-316	68			90	6,120	58	3,944	22	1,496
5¾x3"	2VLT-316	92	144	13,248					25	2,300
	2VLTR-316	92	128	11,776					22	2,024
	1V5-316	46	288	13,248						
	1V5R-316	46	256	11,776						
	2VL-316	58			72	4,176	45	2,610	18	1,044
	2VLR-316	58			64	3,712	41	2,378	16	928
*5¾x4"	2VLT-316	82	102	8,364					18	1,476
	2VLTR-316	82	92	7,544					16	1,312
	1V5-316	41	204	8,364						
	1V5R-316	41	184	7,544						
7¼x1"	2VCR-316	90			139	12,510	88	7,920	34	3,060
	2VCTR-316	114	196	22,344					34	3,876
7¼x1 1/16"	2VCR-316	84			120	10,080	76	6,384	30	2,520
	2VCTR-316	108	170	18,360					30	3,240
7¼x2 1/8"	2VCR-316	78			106	8,268	67	5,226	26	2,028
	2VCTR-316	102	150	15,300					26	2,652
*7¼x3"	2VCR-316	68			78	5,304	49	3,332	19	1,292
	2VCTR-316	92	128	11,776					19	1,748
*7¼x4"	2VCR 316	58			64	3,712	46	2,668	16	928
	2VCTR-316	82	92	7,544					16	1,312
*7¼x5"	2VCR-316	46			56	2,576	35	1,610	13	598
	2VCTR-316	70	80	5,600					13	910
8x1"	1VT 964	57	357	20,349	168	9,576			42	2,394
	1VTR-316	57	294	16,758	139	7,923			34	1,938
8x1 1/16"	1VT-964	54	300	16,200	141	7,614			35	1,890
	1VTR-316	54	255	13,770	120	6,480			30	1,620
8x2 1/8"	1VT-316	51	261	13,311	122	6,222			30	1,530
	1VTR 316	51	225	11,475	106	5,406			26	1,326
*8x3"	1VT-316	46	183	8,418	86	3,956			21	966
	1VTR 316	46	165	7,590	78	3,488			19	874
*8x4"	1VT-316	41	153	6,273	72	2,952			18	738
	1VTR-316	41	138	5,658	64	2,624			16	656
*8x5"	1VT-316	35	129	4,515	60	2,100			15	525
	1VTR-316	35	120	4,200	56	1,960			13	455
*8x6"	1VT-316	30	120	3,600	57	1,710			14	420
	1VTR-316	30	111	3,330	51	1,530			13	390

ACME SUPER-VISIBLE SEPARATOR-INDEXOR GUIDES

Heavy Grey Pressboard with Metal Tabs and Roll Bearing Spacers

Catalog No.	Panel Unit	TAB		BODY SIZE		PRICE EACH			PRICE PER 100		
		Size	Positions	Width	Height	Zone 1	Zone 2	Zone 3	Zone 1	Zone 2	Zone 3
1173-6RV	1V5R	2⅛"	3	5 15/16"	11¾"	$0.28	$0.29	$0.29	$24.75	$25.25	$26.00
T-74-6RV	VTR	2⅛"	4	8½"	11¾"	.31	.32	.33	29.25	30.00	30.75
T-78-6RV	VTR	1⅜"	7th & 8th	8½"	11¾"	.31	.32	.33	29.25	30.00	30.75
T-72-6RV	VTR	4"	2	8½"	11¾"	.33	.34	.35	32.25	33.00	33.75
475-6RV	VLR	2⅛"	5	11¾"	9½"	.28	.29	.29	24.75	25.25	26.00
470-6RV	VLR	1⅜"	9th & 10th	11¾"	9½"	.28	.29	.29	24.75	25.25	26.00
473-6RV	VLR	4"	3	11¾"	9½"	.31	.32	.33	27.75	28.50	25.25
375-6RV	VLTR	2⅛"	5	11¾"	11¾"	.31	.32	.33	28.50	29.25	30.00
370-6RV	VLTR	1⅜"	9th & 10th	11¾"	11¾"	.31	.32	.33	28.50	29.25	30.00
373-6RV	VLTR	4"	3	11¾"	11¾"	.33	.34	.35	32.25	33.00	33.75
575-6RV	VCR	2⅞"	5	14¾"	9½"	.31	.32	.33	28.50	29.25	30.00
570-6RV	VCR	1⅜"	9th & 10th	14¾"	9½"	.31	.32	.33	28.50	29.25	30.00
573-6RV	VCR	4"	3	14¾"	9½"	.33	.34	.35	32.25	33.00	33.75
675-6RV	2V5R	2⅛"	5	11¾"	11¾"	.31	.32	.33	28.50	29.25	30.00
670-6RV	2V5R	1⅜"	9th & 10th	11¾"	11¾"	.31	.32	.33	28.50	29.25	30.00
673-6RV	2V5R	4"	3	11¾"	11¾"	.33	.34	.35	32.25	33.00	33.75
775-6RV	VCTR	2⅞"	5	14¾"	11¾"	.33	.34	.35	32.75	33.50	34.50
770-6RV	VCTR	1⅜"	9th & 10th	14¾"	11¾"	.33	.34	.35	32.75	33.50	34.50
773-6RV	VCTR	4"	3	14¾"	11¾"	.36	.37	.38	36.00	37.00	37.75

One roll-bearing metal tabbed Separator-Indexor is included with each complete Removable Panel type Card Carrier unit. For replacements or special indexing, guides may be ordered separately. Specify tab positions desired.

CAPACITIES WITH OTHER THAN 3/16" VISIBILITY

Height Card	¼" VISIBILITY				⅜" VISIBILITY			
	Cards per Runway		*Panels per Inch		Cards per Runway		*Panels per Inch	
	Letter and Cap	Tariff and Doc't.	Refer-ence	Posting	Letter and Cap	Tariff and Doc't.	Refer-ence	Posting
1 9/16"	31	40	6.35	5.35	21	27	6.7	5.55
2 1/8"	29	38	5.75	4.9	20	25	6.25	5.25
3" (110#)	26	35	5.0	4.35	17	23	5.7	4.9
3" (140#)	26	35	4.45	3.9	17	23	5.25	4.55
4"	22	31	3.7	3.3	15	21	4.55	4.0
5"	18	27	3.15	2.9	12	18	4.0	3.6
6"	14	23	2.85	2.6	9	15	3.7	3.3

*To determine the card capacity multiply the number of panels per inch x the number of inches in the compartment, then x the number of cards per runway and x the number of runways per panel unit. The result is the card capacity of one compartment.
FILING SPACE: Each Tub Compartment, 17"; each drawer of a cabinet, 24"; Sr Tray, 15¼"; Jr. Tray, 6". Visibilities other than these can be furnished; capacity and other data on application.

CAPACITIES USING SUPER-VISIBLE HOLDER CARDS

VISIBILITY ¼"			**PANELS PER INCH OF DRAWER CAPACITY				
Size of Holder Card	Panels	Cards Per Unit	With-out Inserts	†110-lb (8 ot.) Inserts		†140-lb. (10 pt.) Inserts	
				1	2	1	2
5¾ x 3⅜"	1-V5R-316	33	3.42	2.4	1.71	2.0	1.42
	2-VL-316	50	4.0	2.66	2.0	2.5	1.66
	2-VLR-316	50	3.42	2.4	1.71	2.0	1.42
	2-VLTR-316	66	3.42	2.4	1.71	2.0	1.42
7¼ x 4 7/16"	1-VT-316	29	3.45	2.2	1.66	2.0	1.42
	1-VTR-316	29	3.2	2.0	1.53	1.66	1.25
	2-VCR-316	40	3.2	2.0	1.53	1.66	1.25
	2-VCTR-316	56	3.2	2.0	1.53	1.66	1.25
8⅜ x 5 7/16"	1-VT-316	25	3.07	2.1	1.42	1.81	1.25
	1-VTR-316	25	2.83	2.0	1.53	1.66	1.25
For Tabulating Machine Cards			6½ Point Inserts				
8⅜ x 3 11/16"	1-VT-316	32	4.04	2.75	2.09		
	1-VTR-316	32	3.6	2.7	2.02		

**Where lighter weight inserts are used, the number of Panels per inch will be somewhat greater.
When a larger number of inserts than two are required, please write for build-up information, giving us full facts regarding the weight and number of inserts to be filed (send sample wherever possible).
(These capacities are approximate and will vary with variations in the thickness of cards, sheets or other inserted material.)
†Average number of inserts back of each Holder Card.



ACME SUPER-VISIBLE SEPARATOR-INDEXOR



The Separator-Indexor contributes vitally to the speed and efficiency of Acme Super-Visible for both reference and posting. The patented Roll-Bearing Spacer anchors it securely in the compartment, preventing pinching, chafing and climbing of contents and permitting an easy, full-swinging or rotating action. The Roll-Bearing Separator-Indexors are inserted easily and quickly at any point in the file without disturbing the contents, and without the use of a guide rod.

Acme SUPER VISIBLE 1, 2, 3, 4 & 5 Drawer Units

PROTECTION

Super-Visible steel cabinets give privacy and protection for all types of records. The Super-Visible system is visible only to the operators—vital information is kept confidential and tamper-proof. Your records can be kept under lock and key—at night and over week-end periods they are safely housed.

After references or postings are made the Super-Visible feature of positive compression is applied mechanically as the drawer is closed, keeping all records protected and orderly.

MECHANIZED ACTION

Just open the mechanized drawer and the same light finger action automatically

(a) unlocks and opens the swing front—
(b) disengages the buttonless safety latch of the drawer front—
(c) releases the positive compression.

Part the contents at any point—the Roll-Bearing Indexors provide an easy rotating action and a wide mechanically supported angle spread—placing the *visible* card panels in a reclining, natural position.



A No. 5000-FT. Posting Shelf suspended from the drawer side provides for occasional posting at the file, and is easily moved from one drawer to another. Zone 1, $7.45; Zone 2, $8.20; Zone 3, $8.95.



SUPER-VISIBLE CABINETS

Item No.	ZONE 1		ZONE 2		ZONE 3	
	No Lock	With Lock	No Lock	With Lock	No Lock	With Lock
OLIVE GREEN OR GRAY FINISH WITH SECTIONAL STEEL TOPS						
A-202-L	$65.25	$78.25	$71.75	$86.00	$78.25	$94.00
A-303-L	87.75	100.75	96.50	110.75	105.25	121.00
A-202-C	71.00	84.25	78.00	92.75	85.25	101.00
A-303-C	95.75	109.00	105.25	120.00	115.00	130.75
GRAINED MAHOGANY OR WALNUT FINISH WITH SECTIONAL STEEL TOP						
A-202-L	$77.75	$91.25	$85.50	$100.50	$93.25	$109.50
A-303-L	104.00	107.50	114.50	129.25	124.75	141.00
A-202-C	83.75	96.50	92.25	106.25	100.50	115.75
A-303-C	112.00	125.25	123.25	146.00	134.50	150.25
OLIVE GREEN OR GRAY FINISH WITH VELVOLEUM COVERED SECTIONAL TOP						
A-202L-VT	$83.00	$96.00	$91.25	$105.50	$99.50	$ 115.25
A-303L-VT	105.50	118.50	116.00	130.25	126.50	142.25
A-202C-VT	92.00	104.75	101.25	115.25	110.50	125.75
A-303C-VT	116.75	129.75	128.50	142.75	140.00	155.75
GRAINED MAHOGANY OR WALNUT FINISH WITH VELVOLEUM COVERED SECTIONAL TOP						
A-202L-VT	$95.75	$108.50	$105.25	$119.25	$115.00	$130.25
A-303L-VT	121.75	135.00	134.00	148.50	146.50	162.00
A-202C-VT	104.25	117.50	114.75	129.25	125.00	141.00
A-303C-VT	132.75	146.25	146.00	161.00	159.25	175.50
OLIVE GREEN OR GRAY FINISH						
A-504-NT	$116.00	$129.75	$127.50	$142.75	$139.25	$155.75
A-404-L	95.25	108.50	104.75	119.25	114.25	130.25
A-505-L	116.00	129.75	127.50	142.75	139.25	155.75
A-404-C	107.50	121.25	118.25	133.50	129.00	145.50
A-505-C	130.75	145.00	143.75	159.50	157.00	174.00
GRAINED MAHOGANY OR WALNUT						
A-504-NT	$135.75	$149.25	$149.25	$164.25	$163.00	$179.00
A-404-L	112.50	126.00	123.75	138.50	135.00	151.25
A-505-L	135.00	149.00	148.50	164.00	162.00	178.75
A-404-C	125.00	138.50	137.50	152.25	150.00	166.25
A-505-C	150.75	164.00	165.75	180.50	181.00	196.75

Dimensions of SUPER-VISIBLE CABINETS

Depth of all cabinets: Outside, 28"
Depth of all drawers: Inside, 26¾"

Cabinet No.	No. of Drawers	Overall of Cabinet		Inside of each Drawer	
		Width	Height	Width	Height
A-202-L	2	15 1/16"	30 1/2"	12 1/4"	11 1/8"
A-202-C	2	18 5/16"	30 1/2"	15 1/2"	11 1/8"
A-303-L	3	15 1/16"	41 13/16"	12 1/4"	11 1/8"
A-303-C	3	18 5/16"	41 13/16"	15 1/2"	11 1/8"
A-404-L	4	15 1/16"	52 5/8"	12 1/4"	11 1/8"
A-404-C	4	18 5/16"	52 5/8"	15 1/2"	11 1/8"
A-504-NT	4	11 9/16"	57"	8 3/4"	12 7/8"
A-505-L	5	15 1/16"	57"	12 1/4"	10 3/16"
A-505-C	5	18 3/16"	57"	15 1/2"	10 3/16"

NOTE: Height of 2 and 3 drawer cabinets based on their being equipped with Sectional Steel Top. When equipped with Velvoleum Covered Sectional Top, height is 1/8" greater.

BASES FOR SUPER-VISIBLE CABINETS

Catalog No.	Height	Zone 1		Zone 2		Zone 3	
		Olive Green or Gray	Mahogany or Walnut	Olive Green or Gray	Mahogany or Walnut	Olive Green or Gray	Mahogany or Walnut
*A54-SB	5"	$13.00	$16.25	$14.25	$18.00	$15.50	$19.50
†A52-SB	5"	6.55	8.15	7.20	8.95	7.85	9.80
A51-RB		17.50		19.25		21.00	
Divide-A-File		1.55		1.70		1.85	

*The A54-SB base may be used with each individual cabinet or as the first section in a battery. Specify whether for Tariff, Letter or Cap size cabinet.

†The A52-SB base should be purchased only for continuing a battery. Specify whether for Tariff, Letter or Cap size cabinet.

No. A 202-L with A 54-SB Base

No. A 404-L (Letter Size) Super-Visible Cabinets

No. A 505-L 5 Drawer Cabinets

SUPER-VISIBLE Lift-Top Cabinet

Made of prime grade furniture steel, rigidly welded and reinforced to provide many years of heavy-duty service.

The unit is equipped with a lock and four steel casters, the front two being locking casters.

PRICES:

Item No.	Size	Zone 1	Zone 2	Zone 3
CLT-1L	Letter	$60.00	$66.00	$72.00
CLT-1C	Cap	65.00	71.50	78.00

Also available for Tariff height.



The lift cover slides down behind the cabinet. Equipped with four ball bearing rollers, two on each side, and with storage compartment door.



Finish:
Neutral Gray Wrinkle.

DIMENSIONS

CLT-1L Outside width 15"
Inside width 12-1/4"

CLT-1C Outside width 18-1/4"
Inside width 15-1/2"

Height of both units (from floor) 30-1/2" (overall)

Inside height of record compartment:
When used with regular S-V panels, 9-9/16"
When used with Tariff depth panels, 11-13/16"

Depth of both units, outside, 24-3/8"; Filing depth, 17"

Super-Visible Trays

Acme Super-Visible Tray Units are ideal for—a small number of very active records—starting a new system that may grow into a large unit—dividing a large record into small easily handled units for distribution of work.

Senior Tray Units are supplied in either Letter or Cap size. All cards are instantly available for reference or posting when the hinged cover is unlocked and lifted up. The cover may be removed entirely, if desired. Junior Tray Units are available in three sizes—Letter, Cap and Tariff. The front and back of trays have hand holds for convenience in handling.

The Letter and Cap width Junior Trays with standard height card panels may be placed crosswise in a desk or file cabinet drawer with all records readily accessible for instant use.

Senior Tray Units
and Acme Mobile Stand

Junior Tray Unit

ACME MOBILE STANDS (26" High)

Catalog No.	Size Tray	Zone	PRICE Trays per Stand 1	2	*3	*4
LTL Std	Letter	1	$53.00	$57.50	$70.25	$79.00
		2	58.25	63.25	77.25	87.00
		3	63.50	69.00	84.25	94.75
LTC Std	Cap	1	53.00	64.75	79.00	88.25
		2	58.25	71.25	87.00	97.00
		3	63.50	77.75	94.75	106.00

*These stands have 6 legs and 2 sliding shelves.

Each stand equipped with 1¾" steel ball-bearing casters and sliding work shelf or shelves. Where 4" rubber-tired ball-bearing casters are wanted, add:

For 1 & 2 unit stands
Zone 1 $12.25
Zone 2 13.50
Zone 3 14.75

For 3 & 4 unit stands
Zone 1 $17.50
Zone 2 19.25
Zone 3 21.00

SENIOR TRAY UNITS—With Lift-Off Covers

Catalog No.	Size	PRICE Zone 1	Zone 2	Zone 3	OUTSIDE Width	Height	Depth	INSIDE USABLE Width	Depth
15-LTL	Letter	$30.50	$31.25	$32.00	13½"	Tray 6¾" Cover 3¾"	23½"	12¼"	15"
15-LTC	Cap	33.25	34.00	35.00	16¾"	Tray 6¾" Cover 3¾"	23½"	15½"	15"

Each tray is equipped with three adjustable 30° Divide-a-Files. When ordered without cover and lock, deduct $2.00.

JUNIOR TRAY UNITS

Catalog No.	Size	PRICE Zone 1	Zone 2	Zone 3	OUTSIDE Width	Height	Depth	INSIDE USABLE Width	Depth
A-VPT-6T	Tariff	$8.15	$8.35	$8.55	9"	6¾"	13¾"	8⅞"	6"
A-VPT-6L	Letter	8.15	8.35	8.55	12 7/16"	7"	12 1/16"	12 5/16"	6"
A-VPT-6C	Cap	9.75	10.00	10.25	15 5/16"	7"	12 1/16"	15 5/16"	6"

Green Keratol cover $2.50 each.
Each tray is equipped with two adjustable 30° Divide-a-Files.
Front and back panels have cut-out handles.

Acme SUPER VISIBLE Tub Desks-Steel



TD-2C
with
2 Cap lift-out trays



TD-3T
with
3 Tariff lift-out trays

The design of Acme Super-Visible Tub Desks provides for a wide "V" opening at any point so that reference can be made to any record without removing the card panel. With indexing titles and signals on the visible margins, at the top of the cards, all cards are readily accessible and instantly available. Entries are easily and quickly made by lifting the panel from the file and placing it in a natural posting position on the operator's desk. The panel is just as quickly and easily returned to its place in the file.

Acme Super-Visible Tub Desks accommodate *Tariff height* ($11\frac{13}{16}$") Super-Visible Card panels. These housing units are supplied with lift-out trays for the four standard width Super-Visible panels, which widths may be broadly described as Document, Tariff, Letter and Cap (legal size). They provide for a large number of records in a small amount of space.
Super-Visible Tub Desks are expertly designed; smooth-operating roll top, with lock, protects the records when not in use. Roll top opens and closes easily.

Let an Acme systems engineer show you how Acme Super-Visible Tub Desk Units may be grouped so that thousands of cards will be within reach, quickly and easily available to one operator.

ACME SUPER-VISIBLE TUB DESK PRICES

Item No.	No. of Trays	Size	Zone 1	Zone 2	Zone 3
TD-4D	4	Document	$250.75	$257.00	$263.25
TD-3T	3	Tariff	250.75	257.00	263.25
TD-2L	2	Letter	250.75	257.00	263.25
TD-2C	2	Cap (legal)	250.75	257.00	263.25

DIMENSIONS (outside): Height $32\frac{1}{2}$", width 35", depth 26", filing depth 17".
FINISH: Grey Wrinkle. Roller curtain and lock included.

As many as 40,000 cards may be filed in one unit—visibly indexed, for fast reference and posting.



TD-4D
with
4 Document lift-out trays



Super-Visible Tub Desk
with Roll Top Closed

Acme Super-Visible Frames



We have Super-Visible card panels for use in drawer cabinets and tubs, for those records requiring privacy; and we have Super-Visible card panels in ring books, where that type is preferable.

Acme also has Super-Visible card frames in open stands (revolving or straight-line) for those records where direct and frequent reference is desired without the necessity of opening drawers or books, or lifting covers.

CONSTRUCTION

The bottom channel of each side on single frames and of each row on duplex frame is open sufficiently so the bottom of the last card nests into it.

FINISH: Neutral Gray or Black (Neutral Gray will be supplied unless "Black" is specified). Stands and brackets will be furnished in the same finish as ordered for the frames.

HEIGHT CARD: Cards used in Super-Visible frames should not exceed 3" in height. Any departure from this recommendation is at the customer's risk.

STANDS & BRACKETS: The same oblique and revolving stands and wall brackets as furnished for commercial card frames are used. See pages 22 and 23.



SUPER-VISIBLE FRAMES

CAPACITIES

Length Frame	Height Card	3/16" VISIBILITY			1/4" VISIBILITY		
		Per Row	Per Frame		Per Row	Per Frame	
			Single	Duplex		Single	Duplex
15"	1"	73	146	292	55	110	220
	1 9/16"	70	140	280	53	106	212
	2 1/8"	67	134	268	50	100	200
	3"	62	124	248	47	94	188
20"	1"	100	200	400	75	150	300
	1 9/16"	97	194	388	73	146	292
	2 1/8"	94	188	376	70	140	280
	3"	89	178	356	67	134	268
24"	1"	121	242	484	91	182	364
	1 9/16"	118	236	472	89	178	356
	2 1/8"	115	230	460	86	172	344
	3"	110	220	440	83	166	332

SPACING OF FRAMES IN STANDS

Height Card	Revolving Stands	Oblique Stands or Wall Brackets
1"	In every hole	In every hole 3/8" c-c
1 9/16"	In 2 of 3 holes	In every hole 1/2" c-c
2 1/8"	In every other hole	In every other hole 3/8" c-c
3"	In every other hole	In every other hole 3/8" c-c

Frame No.	Length	Width Card	PRICE		
			Zone 1	Zone 2	Zone 3
D-3515-SV	15"	3 1/2"	$ 7.15	$ 7.35	$ 7.50
D-3520-SV	20"		8.65	8.85	9.10
D-3524-SV	24"		10.50	10.75	11.00
D-415-SV	15"	4"	7.15	7.35	7.50
D-420-SV	20"		8.65	8.85	9.10
D-424-SV	24"		10.50	10.75	11.00
515-SV	15"	5"	4.30	4.40	4.50
520-SV	20"		5.35	5.50	5.60
524-SV	24"		6.40	6.55	6.70
D-515-SV	15"	5"	8.05	8.25	8.45
D-520-SV	20"		9.70	9.95	10.25
D-524-SV	24"		11.75	12.00	12.25
615-SV	15"	6"	4.90	5.00	5.15
620-SV	20"		5.95	6.10	6.25
624-SV	24"		7.10	7.30	7.45
D-615-SV	15"	6"	8.85	9.05	9.30
D-620-SV	20"		10.75	11.00	11.25
D-624-SV	24"		13.00	13.25	13.75
815-SV	15"	8"	5.45	5.60	5.70
820-SV	20"		6.55	6.70	6.90
824-SV	24"		7.90	8.10	8.30

Frame numbers with prefix "D" are duplex—two card runways on each side—thus providing for two rows of cards per side.

This installation of Super-Visible Frames is one of nine in regional offices of a Government bureau. It consists of 200 duplex Super-Visible frames mounted on 4 Oblique (straight-line) stands.

Acme The VISI-Folder



Acme Visi-Folders answer the problem of taking records along on calls and trips . . . without a lot of fuss in assembling the material or copying information . . . and without imposing unnecessary work on the filing department. All that is necessary is to transfer the card carriers and cards from either the Posting or Reference Panels in the permanent file to the Visi-Folder, and the records needed are ready to take along. Visi-Folders provide complete protection for the cards when carried in a brief case and are available to accommodate all sizes of Super-Visible Cards.

Returning the cards to the files is simple and speedy; you merely remove the card carrier and replace it on the Reference or Posting Panel.

Extra sections may be attached with snap fasteners to provide for expanding the capacity of each Visi-Folder.

ACME VISI-FOLDERS—SIZES AND CAPACITIES

Catalog No. 4736-V1		Catalog No. 4736-V2		Catalog No. 4736-V3	
With 1 S-V Card Carrier		With 2 S-V Card Carriers		With 3 S-V Card Carriers	
Card Size	Card Capacity	Card Size	Card Capacity	Card Size	Card Capacity
7¼ or 8x1″	62	5¾x1″	100	3¾x1″	150
7¼ or 8x1 1/16″	54	5¾x1 1/16″	84	3¾x1 1/16″	126
7¼ or 8x2⅛″	51	5¾x2⅛″	78	3¾x2⅛″	117
7¼ or 8x3″	46	5¾x3″	70		
7¼ or 8x4″	41	5¾x4″	60		
7¼ or 8x5″	36				

Expansion sections are made with the same card capacities as the corresponding size of Visi-Folders.

NOTES ON VISI-FOLDERS

Visi-Folders are available to fit in Letter size compartments only. Dimensions: 11¾″ x 9⅝″.
Visi-Folders are equipped with 2⅜″ metal index tabs in center position only.

VISI-FOLDER PRICES

Catalog Number	Type Panel	DESCRIPTION	Zone 1	Zone 2	Zone 3	Card Width	No. of Runways
4736-V1	1-VT	Visi-Folder	$2.50	$2.55	$2.65	8″	1
4736-V2	2-VL	Visi-Folder	2.95	3.00	3.10	5¾″	2
4736-V3	3-VL	Visi-Folder	3.40	3.50	3.55	3¾″	3
4736-V1-X	1-VT	Expansion Section	2.20	2.25	2.30	8″	1
4736-V2-X	2-VL	Expansion Section	2.65	2.70	2.80	5¾″	2
4736-V3-X	3-VL	Expansion Section	3.20	3.30	3.35	3¾″	3

Catalog Number	QUANTITY PRICES ON ACME VISI-FOLDERS					
	500-999			1000 and over		
	Zone 1	Zone 2	Zone 3	Zone 1	Zone 2	Zone 3
4736-V1	$2.35	$2.40	$2.45	$2.25	$2.30	$2.35
4736-V2	2.85	2.90	3.00	2.65	2.70	2.80
4736-V3	3.25	3.35	3.40	3.10	3.20	3.25
4736-V1-X	2.10	2.15	2.20	1.85	1.90	1.95
4736-V2-X	2.55	2.60	2.70	2.40	2.45	2.50
4736-V3-X	3.05	3.15	3.20	2.90	2.95	3.05

ACME TRANSFER FOLDER FOR SUPER-VISIBLE CARDS

Can Be Used in Any Letter or Transfer File

The Super-Visible *Transfer Folder* provides a simple, economical method of housing *inactive* Super-Visible cards *visibly*, requiring little more in space than for non-visible transfer filing, and at the same time providing much greater speed of reference.

Gummed labels can be used for typing the tab captions. They will further strengthen the tabs, and being available in a number of colors can be used to indicate different classifications in the file if desired.

The cards are carried on removable Vulcanized Fibre Runways, in the same manner as on our Card Carrier Panel Units, and transferring or shifting of cards in groups is easily accomplished.

They are furnished in Letter, Cap, and Tariff-Ledger sizes, to accommodate all standard Super-Visible card sizes.



Cap Size Transfer Folder

ACME SUPER-VISIBLE TRANSFER FOLDERS

Heavy First Grade Manila with Re-inforced Tabs in 3rd, 4th and 5th of 5 positions

Catalog Number	Card Width	No. of Runways	PRICE EACH			PRICE PER 100		
			Zone 1	Zone 2	Zone 3	Zone 1	Zone 2	Zone 3
VFL-2R	5¾″	2	$0.60	$0.60	$0.65	$55.00	$56.50	$57.75
VFL-3R	3¾″	3	.75	.75	.80	68.50	70.25	72.00
VFC-2R	7¼″	2	.70	.70	.75	59.50	61.00	62.50
VFC-3R	4¾″	3	.85	.85	.90	73.75	75.50	77.50
VFT-1R	8″	1	.55	.55	.60	49.00	50.25	51.50
VFT-2R	3¾″	2	.70	.70	.75	57.75	59.25	60.75

QUANTITY PRICES ON SUPER-VISIBLE TRANSFER FOLDERS

Catalog No.	PRICE Per Thousand, In Lots of								
	1000			2500			5000 or more		
	Zone 1	Zone 2	Zone 3	Zone 1	Zone 2	Zone 3	Zone 1	Zone 2	Zone 3
VFL-2R	$440.25	$451.25	462.25	$418.00	$428.50	$439.00	$395.75	$405.75	$415.50
VFL-3R	550.00	563.75	577.50	522.50	535.50	548.75	495.00	507.50	519.75
VFC-2R	474.50	486.25	498.25	450.50	461.75	473.00	427.00	437.75	448.25
VFC-3R	590.75	605.50	620.25	561.25	575.25	589.25	531.50	544.75	558.00
VFT-1R	395.75	405.75	415.50	375.50	385.00	394.25	355.25	364.25	373.00
VFT-2R	459.75	471.25	482.75	437.25	448.25	459.00	414.50	424.75	435.25

Acme The VISI-Filer

FOR DESK OR FIELD USE

A Compact, Portable, Super-Visible File.

The Acme Visi-Filer makes it possible to keep Super-Visible records handy for close study—or to take them along on a trip. A larger number of records than can be readily handled in Visi-Folders may be kept—always ready for quick reference. The Visi-Filer will hold up to 1560 visible cards in only 1/6 of a square foot of space. This capacity may be multiplied by several Visi-Filers (maximum of 5) together.



VISI-FILER					SECTIONAL BASES					
Catalog No.	Size	Zone 1	Zone 2	Zone 3	Catalog No.	Zone 1	Zone 2	Zone 3	Width	Height
S-1TVL	Letter	$7.35	$7.55	$7.70	S-2TVL-BP	$4.50	$4.60	$4.75	12 1/8″	10 2/32″
S-1TVT	Tariff	8.95	9.15	9.40	S-2TVT-BP	4.90	5.00	5.15	8 15/16″	13 1/32″
S-1TVC	Cap	10.75	11.00	11.25	S-2TVC-BP	5.55	6.70	6.90	15 1/16″	10 2/32″

Depth of all units 2″

Acme RAPID REFERENCE Card Stands



In these units the visible indexing is at the top and the cards are turned down (rather than up) exposing both sides. Rapid Reference Stands are made in three styles: Single Hanger Stand with fixed card support (for cards 5" to 15" wide); Double Hanger Stand with fixed card support (for cards 8" to 15" wide); and Double Hanger Stand with adjustable (follower-block style) card support.

The Rapid Reference Stands provide for cards made to suit your own requirements; any width, any height, any form, any arrangement of the tabs. The tabs on the cards can be plain, printed and covered with celluloid, or insertable celluloid.

WIDTHS

Single hanger stands, 5" to 13"; Double hanger stands, 8" to 13". Cards may be any desired height and may also be 2" wider than stand.



EQUIPMENT
4 Hinges per hanger, hinged metal front card.

CARD STOCK
Heavy Duratag; price 55c per sq. in. per M cards.

TAB CUTTING
Less than 1M cards of a position, $1.15 per position. 1M or more per position, $1.50 per M cards.

CELLULOID TABS (Permanent or Insertable)
Prices on application. Where permanent tabs are to be furnished, please supply a list of the printing to appear on each tab; minimum quantity, 10 sets all printed alike.

RAPID REFERENCE SINGLE HANGER STANDS
(with fixed position card support)

No.	Depth	Capacity	1 to 9			10 to 24			25 to 49			50 and over		
			Zone 1	Zone 2	Zone 3	Zone 1	Zone 2	Zone 3	Zone 1	Zone 2	Zone 3	Zone 1	Zone 2	Zone 3
10-S	10"	100	$17.25	$17.75	$18.00	$15.75	$16.25	$16.50	$15.50	$16.00	$16.25	$15.25	$15.75	$16.00
13-S	13"	130	19.50	20.00	20.50	17.25	17.75	18.00	17.00	17.50	17.75	16.50	17.00	17.25
16-S	16"	160	21.00	21.50	22.00	19.25	19.75	20.25	18.75	19.25	19.75	18.50	19.00	19.50
20-S	20"	200	24.25	24.75	25.50	21.25	21.75	22.25	21.00	21.50	22.00	20.25	20.75	21.25

RAPID REFERENCE DOUBLE HANGER STANDS
(with fixed position card support)

No.	Depth	Capacity	1 to 9			10 to 24			25 to 49			50 and over		
			Zone 1	Zone 2	Zone 3	Zone 1	Zone 2	Zone 3	Zone 1	Zone 2	Zone 3	Zone 1	Zone 2	Zone 3
5-D	5"	100	$24.75	$25.25	$26.00	$22.50	$23.00	$23.75	$21.50	$22.00	$22.50	$21.00	$21.50	$22.00
10-D	10"	200	29.25	30.00	30.75	26.75	27.50	28.00	25.75	26.50	27.00	25.00	25.75	26.25
15-D	15"	300	39.00	40.00	41.00	35.00	36.00	36.75	33.75	34.50	35.50	32.75	33.50	34.50
20-D	20"	400	43.25	44.25	45.50	39.00	40.00	41.00	38.25	39.25	40.25	36.75	37.75	38.50
(with adjustable card support)														
5-DA	5"	100	28.00	28.75	29.50	25.25	26.00	26.50	24.75	25.25	26.00	24.25	24.75	25.50
10-DA	10"	200	32.75	33.50	34.50	29.25	30.00	30.75	28.50	29.25	30.00	27.75	28.50	29.25
15-DA	15"	300	39.00	40.00	41.00	35.00	36.00	36.75	33.75	34.50	35.50	32.75	33.50	34.50

FOLD-OVER TUBE SIGNALS

Transparent

FOR SINGLE LINE TUBES, ¼" x 1/16"
FOR DOUBLE LINE TUBES, 3/8" x 1/3"

PRICE PER 1000

Zone 1, $40.00 Zone 2, $41.00 Zone 3, $42.00

COLORS
Clear
Red
Green
Amber
Pink
Orange
and
Blue

ORGANIZATION CHART TUBES—(With Mounting)

For Tubes over 8" in length

Single Line.....10c per foot or less } All Zones
Double Line.....15c per foot or less }

CHART MOUNTING

(Add to Tube Prices—All Zones)

For 4" & 5" Tubes.....2c each For 6" Tubes.....3c each
For 8" Tubes.....4c each

WQS CHART PANELS (Complete)

Item No.	Zone	PRICE EACH Less Than 2,500	2,500	5,000 and Over
WQS-1	1	$13.75	$13.50	$13.35
	2	14.10	13.85	13.70
	3	14.45	14.20	14.00
WQS-2	1	19.75	19.50	19.35
	2	20.25	20.00	19.85
	3	20.75	20.50	20.30

WQS CHART PANELS (Empty)

	PRICE EACH Zone 1	Zone 2	Zone 3
WQS-1E	$7.00	$7.20	$7.35
WQS-2E	9.75	10.00	10.25

Acme Open Frame Equipment . . .

In connection with some records where cabinet equipment is not required, a variety of open frames and stands are available, permitting various arrangements to meet individual requirements.

The same principle of visibility used in cabinets applies to the open frames. The frames come in units, 11, 15, 20, and 24 in. high, and are made for all sizes of cards from 4 to 13 in. wide, and whatever depth may be required, from 2 in. up.

Acme open frames hold cards on both sides, and for cards up to 6 in. wide they are made in single and duplex width holding either one or two rows of cards on each side.



ACME COMMERCIAL CARD FRAMES

Frame No.	Size Card	Capacity		Single Frames			Capacity		Duplex Frames		
		3/16"	1/4"	Zone 1	Zone 2	Zone 3	3/16"	1/4"	Zone 1	Zone 2	Zone 3
411-C	4x2"	88		$3.75	$3.85	$3.95	176		$6.60	$6.75	$6.95
415-C		130		5.05	5.20	5.30	260		9.15	9.40	9.60
420-C		184		6.45	6.60	6.75	368		11.50	11.75	12.00
424-C		226		7.85	8.05	8.25	452		14.25	14.50	15.00
511-C	5x3"	78	58	4.60	4.70	4.85	156	116	8.30	8.50	8.70
515-C		120	90	6.10	6.25	6.40	240	180	10.75	11.00	11.25
520-C		174	130	7.35	7.55	7.70	348	260	13.25	13.50	14.00
524-C		218	162	10.25	10.50	10.75	436	324	18.50	19.00	19.50
611-C	6x4"	68	50	5.55	5.70	5.85					
615-C		110	82	7.35	7.55	7.70	220	164	13.25	13.50	14.00
620-C		164	122	9.30	9.55	9.75	328	244	16.50	17.00	17.25
624-C		208	154	12.00	12.25	12.50	416	308	21.25	21.75	22.25
811-C	8x5"	56	42	6.45	6.60	6.75					
815-C		98	74	8.80	9.00	9.25					
820-C		152	114	11.00	11.25	11.50					
824-C		196	146	13.25	13.50	14.00					
920-C	9x6"			13.00	13.25	13.75					
1020-C	10x6"			13.50	13.75	14.25					
1120-C	11x6"	142	106	14.75	15.00	15.50					
1320-C	13x6"			16.50	17.00	17.25					

Duplex Frames have two rows of card hangers on each side.

Additional Index Tabs—22c.

Space Frames in stands and brackets in every third hole of 1/2" spacing.

SINGLE FACE (One Side) CARD FRAMES

Frame No.	Size Card	Capacity		Single Frame			Capacity		Duplex Frame		
		3/16"	1/4"	Zone 1	Zone 2	Zone 3	3/16"	1/4"	Zone 1	Zone 2	Zone 3
411-SFC	4x2"	44		$3.20	$3.30	$3.35	88		$5.80	$5.95	$6.10
415-SFC		65		4.15	4.25	4.35	130		7.55	7.75	7.95
420-SFC		92		4.60	4.70	4.85	184		8.30	8.50	8.70
424-SFC		113		6.10	6.25	6.40	226		10.75	11.00	11.25
511-SFC	5x3"	39	29	3.75	3.85	3.95	78	58	6.60	6.75	6.95
515-SFC		60	45	4.60	4.70	4.85	120	90	8.30	8.50	8.70
520-SFC		87	65	5.55	5.70	5.85	174	130	9.95	10.25	10.50
524-SFC		109	81	6.95	7.10	7.30	218	162	12.50	12.75	13.25
611-SFC	6x4"	34	25	4.60	4.70	4.85	68	50	8.30	8.50	8.70
615-SFC		55	41	5.55	5.70	5.85	110	82	9.95	10.25	10.50
620-SFC		82	61	6.45	6.60	6.75	164	122	11.75	12.00	12.25
624-SFC		104	77	7.35	7.55	7.70	208	154	13.25	13.50	14.00
811-SFC	8x5"	28	21	6.10	6.25	6.40					
815-SFC		49	37	6.45	6.60	6.75					
820-SFC		76	57	7.35	7.55	7.70	152	114	13.25	13.50	14.00
824-SFC		98	73	9.00	9.25	9.45	196	146	16.50	17.00	17.25

Duplex Frames have twice the capacity listed.

Where cards of depths other than those listed are to be used, add to or deduct for each 1", 5 per column (3/16"); 4 per column (1/4"). Length of frames: Indicated by last two digits in "Frame No."

Frame prices include raised prong type card hangers, 2 hinges per hanger, metal top cards and a metal index tab on the two-sided frames. No reduction in price for omission of tab.

Single face (one side) frames have eyelet in top.





Acme Visible Pocket Frames With Steel Hinged Pockets

WALL BRACKETS: At times it is desired to utilize wall space for certain reference records. For such occasions we have provided Wall Brackets of various sizes. These brackets come to the user complete with the means for attaching them to the wall. Wall Bracket can be made to accommodate any number of frames.

COMMERCIAL WALL BRACKETS (With Wings)

Bracket No	Hole Spacing	Width	Card Frames	Tube & Flexo-line Frames	PRICE		
					Zone 1	Zone 2	Zone 3
3-H-WB	1/2"	1 1/2"	1	3	$4.60	$4.70	$4.85
4-H-WB	3/8"	1 1/2"		4	5.05	5.20	5.30
6-H-WB	1/2"	3"	3	6	5.50	5.65	5.80
8-H-WB	3/8"	3"		8	6.45	6.60	6.75
12-H-WB	1/2"	6"	4	12	8.10	8.30	8.50
16-H-WB	3/8"	6"		16	9.20	9.45	9.65
25-H-WB	1/2"	12 1/2"	9	25	10.75	11.00	11.25
32-H-WB	1/2"	16"	11	32	13.00	13.25	13.75
33-H-WB	3/8"	12 1/2"		33	13.25	13.50	13.75
42-H-WB	3/8"	16"		42	14.00	14.25	14.75

Wall brackets not available for frames 24" high. Finish smooth black.

ACME VISIBLE POCKET FRAMES

FRAMES (Complete With Steel Hinged Pockets On Both Sides)

Frame No.	Size Card	No. of Pockets	PRICES Single Frames			No. of Pockets	PRICES Duplex Frames		
			Zone 1	Zone 2	Zone 3		Zone 1	Zone 2	Zone 3
511 PC	5x3"	56	$7.55	$7.75	$7.95	112	$13.75	$14.00	$14.50
515 PC		88	12.25	12.50	12.75	176	22.25	22.75	23.25
520 PC		128	14.25	14.50	15.00	256	26.00	26.75	27.25
524 PC		160	19.00	19.50	20.00	320	33.50	34.25	35.25
611-PC	6x4"	48	7.60	7.80	8.00	96	13.75	14.00	14.50
615-PC		80	12.50	12.75	13.25	160	22.50	23.00	23.75
620-PC		120	16.25	16.75	17.00	240	29.00	29.75	30.50
624-PC		152	20.75	21.25	21.75	304	37.25	38.25	39.00
811-PC	8x5"	40	8.60	8.80	9.05				
815-PC		72	15.00	15.50	15.75				
820-PC		112	20.50	21.00	21.50				
824-PC		144	26.50	27.25	27.75				
8116-PC	8x6"	32	8.45	8.65	8.90				
8156-PC		64	13.75	14.00	14.50				
8206-PC		104	20.25	20.75	21.25				
8246-PC		136	26.00	26.75	27.25				
1025-PC	10x5"	112	27.75	28.50	29.25				
1026 PC	10x6"	104	26.25	27.00	27.50				
1028-PC	10x8"	88	25.75	26.50	27.00				
1125-PC	11x5"	112	31.25	32.00	32.75				
1126 PC	11x6"	104	30.00	30.75	31.50				
1128-PC	11x8"	88	29.50	30.25	31.00				

Duplex Frames have two rows of pockets on each side.

IMPORTANT: Do not overload stands by placing the frames too close together. Space frames with 5x3" and 6x4" pockets in every third hole. Frames with pockets 5" and 6" deep should be spaced in every fourth hole.

Frames with 8" oeep pockets should be spaced in every fifth hole.

FRAMES (Complete With Steel Hinged Pockets On One Side Only)

Frame No.	Size Card	No. of Pockets	PRICES Single Frames			No. of Pockets	PRICES Duplex Frames		
			Zone 1	Zone 2	Zone 3		Zone 1	Zone 2	Zone 3
1511-PC	5x3"	28	$4.15	$4.25	$4.35	56	$7.45	$ 7.65	$ 7.80
1515-PC		44	6.75	6.90	7.10	88	12.25	12.50	12.75
1520-PC		64	8.10	8.30	8.50	128	14.25	14.50	15.00
1524-PC		80	10.25	10.50	10.75	160	18.00	18.50	19.00
1611-PC	6x4"	24	4.20	4.30	4.40	48	7.55	7.75	7.95
1615-PC		40	6.85	7.00	7.20	80	12.50	12.75	13.25
1620-PC		60	8.85	9.05	9.30	120	16.25	16.75	17.00
1624-PC		76	11.50	11.75	12.00	152	20.75	21.25	21.75
1811-PC	8x5"	20	4.80	4.90	5.05				
1815-PC		36	8.30	8.50	8.70				
1820-PC		56	11.25	11.50	11.75				
1824-PC		72	15.00	15.50	15.75				
18116-PC	8x6"	16	4.65	4.75	4.90				
18156-PC		32	8.60	8.80	9.05				
18206-PC		52	11.00	11.25	11.50				
18246-PC		68	14.25	14.50	15.00				
10251-PC	10x5"	56	15.00	15.50	15.75				
10261-PC	10x6"	52	14.25	14.50	15.00				
10281-PC	10x8"	44	14.00	14.25	14.75				
11251-PC	11x5"	56	17.00	17.50	17.75				
11261-PC	11x6"	52	16.75	17.25	17.50				
11281-PC	11x8"	44	16.25	16.75	17.00				

Duplex Frames have two rows of pockets.

Each of these one-sided frames has a corner-cut extended piece at the top with a key-hole slot in the top center for hanging purposes.

Stands... Brackets... Racks

A variety of stands are furnished for holding Acme card frames. The type best suited depends entirely upon the use of the record; for instance, for an entry record the Bookkeeper's stands are recommended. These hold the frames in the most natural position for writing, and in the stands the frames are turned as leaves in a book.

Bookkeeper's stands are made in two sizes to hold nine or eleven frames respectively. As many units as expedient can be joined together and the complete unit placed on a portable mercantile table, if desired, so that the record can be moved about at will.

STANDS FOR COMMERCIAL FRAMES

Stand No.	Type	PRICE Zone 1	PRICE Zone 2	PRICE Zone 3	Hole Spacing	Card Frames	Tube and Flex. Fr.	
12-H-OB	Oblique	$12.75	$13.00	$13.50	½"	4	12	
16-H-OB	Oblique	16.75	17.25	17.50	⅜"		16	
25-H-OB	Oblique	18.50	19.00	19.50	½"	9	25	
32-H-OB	Oblique	21.75	22.25	22.75	½"	11	32	
33-H-OB	Oblique	22.25	22.75	23.25	⅜"		33	
42-H-OB	Oblique	27.00	27.75	28.25	⅜"		42	
25-H-BK	Bookkeeper	18.50	19.00	19.50	½"	9	25	Bookkeeper Stands should not be used with Duplex Card or Duplex Pocket Frames.
32-H-BK	Bookkeeper	21.75	22.25	22.75	½"	11	32	
					Diameter			
25-H-R	Revolving	29.75	30.50	31.25	3"	9	25	
50-H-R	Revolving	51.25	52.50	53.75	6"	17	50	
75-H-R	Revolving	58.00	59.50	61.00	9"	25	75	
100-H-R	Revolving	77.75	79.75	81.75	12"	33	100	
125-H-R	Revolving	82.75	84.75	87.00	15"	42	125	
150-H-R	Revolving	88.25	90.50	92.75	18"	50	150	

Oblique stands tilted back 9° from perpendicular.
Bookkeeper stands tilted 17° from horizontal.
Oblique stands not available for 24" high frames.
Bookkeeper stands available only for 20" frames.
Revolving stand prices are for all length frames.
Wings furnished with oblique and BK stands; for duplex frame wings, add 90c per stand.

All stands equipped with spring tops; to remove a frame you merely raise it.

Two or more units of Oblique or Bookkeeper stands may be jointed together. When so desired please specify so tie-straps and bolts may be furnished for that purpose.

Standard finish: black wrinkle.



Bookkeeper's stand on Portable Mercantile Table. Stand and table supplied separately or joined as an integral unit—of all steel construction.

Mercantile Table—No. MT-1		
Zone 1	Zone 2	Zone 3
$27.50	$28.25	$29.00



Revolving Stand for Commercial Frames



OBLIQUE STANDS

The oblique stands are made in units of nine and eleven frames respectively, and as many of these units as necessary can be joined together.



ACME POCKET RACKS

Item No.	Card Size	Capacity	½" Exposure Zone 1	½" Exposure Zone 2	½" Exposure Zone 3	Capacity	¼" Exposure Zone 1	¼" Exposure Zone 2	¼" Exposure Zone 3
611-P	5x3"	32	$5.30	$5.45	$5.55	64	$5.85	$6.00	$6.15
620-P	5x3"	68	8.70	8.90	9.15	136	9.75	10.00	10.25
720-P	6x4"	64	10.75	11.00	11.25	128	11.50	11.75	12.00
820-P	6x4"	64	10.75	11.00	11.25	128	11.50	11.75	12.00

⅜" exposure also available; capacities ⅓ more than ½" exposure. Prices same as for ¼" exposure.

There are numerous records where the cards are short lived and constantly changing. For such records we offer our Pocket Rack as being the most practical and of greatest utility. The device is a series of pockets made of heavy document manila, allowing for sufficient exposure at the top to visualize indexing data. With this device the very cards or sheets you are now using are utilized—and all the papers pertaining to one subject are kept together in one pocket.

EXTRA POCKETS

Frame No.	½" Exposure Zone 1	½" Exposure Zone 2	½" Exposure Zone 3
611-P	$0.90	$0.90	$0.95
620-P	1.35	1.40	1.40
720-P	1.35	1.40	1.40
820-P	1.35	1.40	1.40
	¼" Exposure		
611-P	$1.10	$1.15	$1.15
620-P	1.75	1.80	1.85
720-P	1.75	1.80	1.85
820-P	1.75	1.80	1.85



These Pedestals should not be used with rotaries larger than #75-H-R. Larger Rotaries should be mounted on Square Base Pedestals.

PEDESTALS FOR COMMERCIAL REVOLVING STANDS

No. 30-P (Height 30")		No. 40-P (Height 40")	
Zone 1	$32.25	Zone 1	$36.50
Zone 2	33.00	Zone 2	37.50
Zone 3	33.75	Zone 3	38.25

AVERY LIBRARY COLUMBIA UNIVERSITY

ACME VISIBLE RECORDS, INC.

CROZET, VIRGINIA



PRINTED IN U.S.A — ACME 1025 25 12-53